Safety Data Sheet

Version: 01

Preparation Date: MAY-1-2023 Supersedes All Previous Versions Magnesium Liquid 30 Page: 1 of 4

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Magnesium Liquid 30

Product Use: De-icing, Anti-icing

Manufacturer/Distributor: Hot Salt LLC

1580 NW 3rd Street

Deerfield Beach, FL 33442

Telephone: 954-781-9200

24-Hour Emergency Telephone: CHEMTREC:1-800-424-9300

Number: CCN 678493

WHMIS Classification: Not controlled

Chemical Family: Inorganic salt solution

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification		
Physical	Health	Environment
Not Hazardous	Not Hazardous	Not Hazardous
GHS Label Element	Not Hazardous	

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

ComponentsCAS #% by WeightMagnesium Chloride7786-30-330.0%

SECTION 4: FIRST-AID MEASURES

Eye: May cause slight eye irritation, immediately wash with water for 15

minutes. Get medical attention if irritation persists.

Skin: May cause skin irritation, wash skin thoroughly with soap and water. Get

medical attention if irritation develops or persists.

Ingestion: Low in toxicity. May cause diarrhea and vomiting when large quantities

are ingested.

Inhalation: Not applicable.

SECTION 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Appropriate extinguishing media. This product is not combustible. Choose

media depending on surrounding fire. All extinguishing medias are allowed.

Specific Hazards Arising from the Chemical: Expose to temperature above 160 C gives formation of toxic chloride gases

Protective Equipment and Precaution: Protective actions and / or special protective equipment depending on

surrounding fire. Aqueous solutions may cause surfaces to be extremely

slippery and cause a slip hazard.

Safety Data Sheet

Version: 01

Preparation Date: MAY-1-2023 Supersedes All Previous Versions

SECTION 6: ACCIDENTAL RELEASE MEASURES

Risks and Spill Small spills can be washed away with water.

For large spills cordon off the spill area, collect and or absorb liquid with an inter absorbent and place in appropriate container for disposal. Flush spill area with water Report releases as per local, state and federal

Magnesium Liquid 30

Page: 2 of 4

authorities

Protective Equipment and Exposure ControlSee Section 9 for details

SECTION 7: HANDLING & STORAGE

Precaution for Safe Handling: Wear protective equipment and equipment. Avoid contact with eyes, skin

and clothing.

Avoid breathing mist or aerosols

Wash your skin thoroughly with soap and water after handling, if product

comes in contact.

Safe Storage / Incompatibilities: Store in cool, dry, well-ventilated area away from incompatible material.

Carbon Steel, polyester, polyethylene and polypropylene are suitable

material for construction.

SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Control: Not established, no special precaution required.

Respiratory Protection: For dusty or misty conditions, wear NIOSH approved dust or mist

respirator.

Skin Protection: Wear rubber gloves, boots and long sleeve shirts.

Eye Protection: Wear safety goggles.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

Physical State: Liquid

Appearance | Odor: Clear amber (available as blue and green) | Odorless

Odor Threshold: Not established

Specific Gravity: 1.290g/mL

pH: 6.0 to 9.0

Vapor Pressure: Not determined

Solubility in Water: Completely

% Volatile: Not determined

Vapor Density: Not determined

Safety Data Sheet

Version: 01

Preparation Date: MAY-1-2023 Supersedes All Previous Versions

SECTION 10: STABILITY & REACTIVITY

Reactivity / Chemical Stability: Not reactive. Stable under normal storage and handling conditions.

Conditions to Avoid: Temperature below or close to product freezing point can give formation of

crystals during storage.

Incompatible Material: Strong oxidizing agents, concentrated acids and some metals.

Hazardous Decomposition Products: Above 160 C product decomposes and emits hydrogen chloride,

halogenated compounds and chloride gas.

Magnesium Liquid 30

Page: 3 of 4

SECTION 11: TOXICOLOGICAL INFORMATION

Ingestion: Ingestion may cause slight irritation with nausea, vomiting and diarrhea.

Inhalation: Inhalation of mist may cause slight irritation of nose, throat and upper

respiratory tract.

Eye: May cause minor irritation with pain and tearing.

Skin: May cause slight irritation on prolonged or repeated contact.

Carcinogenicity: None of the component in the product is listed as carcinogen or suspected

carcinogen by IARC, NTP or OSHA.

Reproductive Toxicity: None.

Oral (rate) LD 50: 8100 mg / Kg

Appraisal: The material is classified as not toxic.

SECTION 12: ECOLOGICAL INFORMATION

Eco toxicity: Fathead minnow NOEC: 1.0 g / L

Ceriodaphnia dubia NOEC: $1.00\ g\ /\ L$ Selenastrum growth NOEC: $2.0\ g\ /\ L$

Persistence and Degradability: Not applicable.

Bio accumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: None known.

Safety Data Sheet

Version: 01

Preparation Date: MAY-1-2023 Supersedes All Previous Versions

SECTION 13: DISPOSAL CONSIDERATIONS:

Dispose in accordance with local, state and federal environmental regulations.

SECTION 14: TRANSPORT INFORMATION

Proper Shipping Name: Not regulated

UN Number: None

Hazard Class / packing Group: None

Label Required: None

SECTION 15: REGULATORY INFORMATION

CERCLA: This product is not subjected to CERCLA release reporting. Many States

have more stringent release reporting requirements. Report spills required

Magnesium Liquid 30

Page: 4 of 4

under federal, state and local regulations.

SARA Hazard Category: (311 / 312) Not Hazardous

SARA 313: None

EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA

Inventory.

CEPA: All the components of this product are listed on the Canadian DSL

WHMIS Classification: Not classified as dangerous.

SECTION 16: PREPARATION INFORMATION

Prepared By: Deicing Depot LLC Telephone: 954-781-9200 Preparation Date: MAY-1-2023

Superseded Date: ALL PREVIOUS VERSIONS